

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5:

G04B 37/14, A41D 19/00 G04C 3/00, G04F 8/00

(11) International Publication Number: A1

WO 90/07734

(43) International Publication Date:

12 July 1990 (12.07.90)

(21) International Application Number:

PCT/IT90/00002

Published

IT

2 January 1990 (02.01.90)

With international search report.

(30) Priority data:

19022 A/89

(22) International Filing Date:


5 January 1989 (05.01.89)

(71)(72) Applicant and Inventor: SERVADIO, Leonardo [IT/ IT]; I-06100 Taverne di Corciano (IT).

(74) Agents: CAREGARO, Silvio; Società Italiana Brevetti, Via Carducci, 8, I-20123 Milano (IT) et al.

(81) Designated States: AT (European patent), BE (European patent), CA, CH (European patent), BE (European patent), CA, CH (European patent), DE (European patent), DK (European patent), ES (European patent), FR (European patent), GB (European patent), IT (European patent), JP, KR, LU (European patent), NL (European patent), SE (European patent), US.

(54) Title: A SPORT GLOVE, IN PARTICULAR A SKI GLOVE, BEARING A DIGITAL CHRONOMETER ASSOCIAT-**ED THEREWITH**



(57) Abstract

A sport glove, in particular a ski glove wherein, at the tip of two fingers there is fastened, on the outside, a pair of metal members (10) connected to an electronic circuit controlling operation of a chronometer (22), and in particular the starting and stopping thereof. Said functions are actuated, through said electronic circuit, by means of a mutual contact between the metal members (10).


BNSDOCID: <WO____ 9007734A1_I_>

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MR	Mauritania
BE	Belgium	GA	Gabon	MW	Malawi
BF	Burkina Fasso	GB	United Kingdom	NL	Netherlands
BG	Bulgaria	HU	Hungary	NO	Norway
BJ	Benin	n	Italy	RO	Romania
BR	Brazil	JР	Japan	SO	Sudan
CA	Canada	KP	Democratic People's Republic	SE	Sweden
CF	Central African Republic		of Korea	SN .	Senegal
CG	Congo	KR	Republic of Korea	SU	Soviet Union
CH	Switzerland	u	Liechtenstein	TD	Chad
CM	Cameroon	LK	Sri Lanka	TG	Toso
DE	Germany, Federal Republic of	w	Luxembourg	us	United States of America
DK	Denmark	MC	Monaco		

BNSDOCID: <WO_____9007734A1_I_>



This invention concerns a sport glove, and more particularly a ski glove, bearing a digital type chronometer assoc-

5 iated therewith.

Throughout this disclosure reference will be made, only for explanation simplicity purposes, to a ski glove, even though the novel concept of this invention may be extended to sport activities different from skiing.

- 10 As it should be apparent, it is highly important to be able to measure exactly the time required to run a certain predetermined distance in order to be able to evaluate the various parameters said time is dependent upon, and to act on them to shorten said time.
- The above evaluations are useful both for athletic skiing itself and for the amateur skier, in that in both cases it is possible to control important factors such as the degree of training, the personal fitness conditions, as well as the most appropriate equipment selection.

At present, time measurements are taken by a second person since that would be impossible for the skier to do, both because his hands are already busy with the ski poles, and because even assuming he was able to use a chronometer, actuation thereof would certainly not be

BN\$DOCID: <WO_____9007734A1_I_>

easy with ski gloves which, as it is well known, are made of very thick material.

Therefore, it is an object of this invention to provide

a ski glove having a digital type chronometer associated
therewith, which can be operated in a very simple and
straightforward fashion by the skier himself, through
means provided with the glove according to this invention. The features as well as the advantages of the ski

gloves according to this invention will become apparent
from the following detailed description of a non limiting embodimental form thereof, made in reference to the
attached drawing, wherein:

Figure 1 is a rear perspective view of the glove accord15 ing to this invention;

Figure 2 is a partially cut away rear perspective view of the ski glove according to this invention;

Figure 3 is a view of the glove according to section III-III of Figure 1;

20 Figure 4 is a front view of the thumb end of the glove according to this invention; and Figure 5 is a block diagram showing a possible embodiment

of the circuitry associated with the glove according to

this invention.

25 Referring first to Figures 1 to 4, as it is shown there-

in, at the tip of two glove fingers there is fastened on

the outside, in any known fashion, a pair of metal members 10. In the embodimental form shown herein, the 5 fingers involved are the thumb and the forefinger, although the pair of members 10 may be mounted on other fingers of choice. The solution shown herein is preferred in that, when the skier grabs the ski pole the ends of the subject fingers may get into mutual contact more 10 easily and quickly.

As it should be apparent from Figures 2 to 4, each metal member 10 is fastened on the glove outer surface, in particular on leather 14 thereof. To the rear surface of each metal member 10 there is connected, in any way known per se, for instance by spot welding, the end of a connection lead 18 which, after having passed through an opening 12 through glove leather 14, extends in the direction of the hand entrance thereof.

As it is shown more in detail in Fig. 3, both connecting leads 18 are embedded between glove leather 14 and an electrically insulating layer 16 applied on the inside of leather 14. In such a way it is possible to avoid any possible contact of a user's hand with one or both the connecting leads 18, in case of an extended wear of the glove inner lining 17. In fact, the contact mentioned

BNSDOCID: <WO_____9007734A1 | >

above would connect the chronometer electric circuit to ground.

Each connecting lead 18 is provided, at the opposite end,
with a connecting plug 20 integral with digital chronometer 22 being provided with an electronic circuit, not
shown in Figures 1 and 2 (and which will be described in
the following), with electric supply batteries (not
shown), and with a display 24. Preferably, the latter is
a five digit display (LED or LCD type display),
wherein the first digit indicates minutes, the second
and the third indicate seconds, while the fourth and
the fifth indicate the one hundredths of a second. However a further digit might be added for the tenths of a
second.

Chronometer 22, having a substantially rectangular shape, and being relatively thin, is inserted in a seat or recess provided in the composite glove layer 14, 16, 17, and a clear shield 26 is mounted thereon, as a further protection against entrance of snow and/or water.

Referring now in particular to Figure 5, there is described therein a possible embodiment of the chronometer electronic circuitry.

At T there is shown a switch which actuates chronometer 25, when closed. In the inventive glove, switch T is

comprised of metal members 10 whose mutual contact corresponds to the closure of switch T. In practice, when starting, the user brings metal members 10 into 5 mutual contact, whereby an electrical pulse is generated and it is supplied at the input of a multivibrator ${\tt M}$ adapted to shape said pulse and to output a standard pulse, having well defined properties. Said pulse switches flip-flop circuit FF to logical state 1 thereby enabling AND gate P which in turn passes the clock pulses generated by respective clock CK. Said pulses are reckoned by counter CONT until that time when, at the end of a trail to be covered, the user brings metal members 10 into mutual contact again, for a short time, thereby closing switch T again. Said operation switches flip-flop circuit FF whereby gate P is inhibited, and the passage of the clock signals towards the counter is stopped. The number of minutes, seconds and fractions of a second stored by counter CONT, corresponding to the time required to complete the trail, is displayed on 20 display 24, through decoder DEC. In order to reduce battery discharge rate, display 24 is actuated (through known methods) only when the stop pulse is forwarded to

25 Through additional known means, such as an auxiliary

chronometer 22.

counter reaching up to "n" pulses, it is possible to use switch T for controlling the plurality of chronometer functions, i.e. the switching on, the starting, the stopping, the displaying, the counter resetting and possibly the chronometer switching off. To each of said functions there corresponds a switch T closing operation, i.e. a mutual contact between metal members 10.

In the exemplary embodiment shown in the attached Figures, and described herein above, metal members 10 are each comprised of a substantially cylinder shaped small plate having an extremely small height, but it should be understood that said members may take a different shape. For instance, said small plates outer face might have a convex surface, which would make mutual contact between members 10 easier, independent upon the angle under

In addition, the shape of said metal members 10 may be different from the above, and the thickness thereof 20 might be further reduced, down to a point where they take the shape of a foil.

which said members are moved towards each other.

It should eventually be taken into account the fact that
the size of said members may be increased all the way to
make them to take the shape of a metal cap fastened in
any known fashion on the tip of the fingers considered

herein.

From the above disclosure, it becomes apparent what are the advantages of the inventive sport glove, and ski glove in particular, which enables the user himself to measure his own performance times by means of a chronometer without having to involve a second person.

Eventually, it should be understood that variations and/or modifications may be made to the glove according to this invention without exceeding, in so doing, the scope of protection of said invention.

For instance, chronometer 22 which, in the exemplary embodiment shown herein is located on the wrist outer side, may be positioned in the same way on the inner side thereof, or elsewhere.

20

CLAIMS


- 1. A sport glove, characterized in that on the outside of the tips of two fingers there is attached a pair of metal members (10), each of them being connected to the control circuit of a digital chronometer (22) whose start and stop are actuated by means of said control circuit, by bringing said metal members (10) into mutual contact.
- 10 2. The sport glove of Claim 1, characterized in that to the inner side of each of the metal members (10) there is connected one of the ends of a connection lead (18) which extends inside the glove and goes to connect, at the other end thereof, with said control circuit.
- 15 3. The sport glove of Claim 1, characterized in that connection leads (18) are embedded between two lining layers (14, 16) of said glove.
 - 4. The sport glove of Claim 3, characterized in that glove lining (16) is an inner lining and it comprises an electrical insulating material.
 - 5. The sport glove of Claim 1, characterized in that each of the metal members (10) is comprised of a small plate.
- 6. The sport glove of Claim 1, characterized in that 25 each of the metal members (10) is comprised of a foil.


- 7. The sport glove of Claim 1, characterized in that each of said metal members (10) is comprised of a cap, fastened on a finger tip.
- 5. 8. The sport glove of Claim 1, characterized in that chronometer (22) is located in a recess provided close to the glove hand entrance, display (24) thereof being protected by a clear shield (26).

10

15

20





INTERNATIONAL SEARCH REPOR

International Applic

I. CLASSIFICATION OF SUI	DIFFE MATTER GIA		an hada	analy indicate all 6		
According to International Pat Int.Cl. 5	•	o both National Cla A41D19/00		G04C3/00;	G04F8/00	·
II. FIELDS SEARCHED						
	Ŋ	Minimum Documen	station	Searched ⁷		
Classification System		C	lassifi	ication Symbols		
Int.Cl. 5	G04B ;	A41D ;		G04C ;	G07C	
				linimum Documentational and the Fields Sea		
III. DOCUMENTS CONSIDER	RED TO BE RELEVANT?					
Category 9 Citation of	Document, 11 with indication	n, where appropriat	te, of t	the relevant passages !	12	Relevant to Claim No.13
X US,A,4	US,A,4652141 (ARAI) 24 March 1987 see column 2, line 21 - column 3, line 15; figure 1					
	DE,A,3036056 (ADACHI) 02 April 1981 see page 4, line 19 - page 5, line 4 US,A,4766611 (KIM) 30 August 1988 see figures 1, 5					1
						1, 8
considered to be of parti "E" earlier document but put filling date "1." document which may the which is cited to establic citation or other special "O" document referring to at other means	general state of the art which includar relevance oblished on or after the internation doubts on priority claim(s in the publication date of anotices are as specified) on oral disclosure, use, exhibitor to the international filing date.	is not rational s) or other tion or late but	or ci in "X" de ci in "Y" de ci de in	ater document publish- prepriority date and not- cited to understand the nvention locument of particular annot be considered in notive an inventive ste locument of particular annot be considered to locument is combined nents, such combination in the art. locument member of the	t in conflict with the e principle or theory relevance; the claim lovel or cannot be co cp relevance; the claim o involve an inventiv with one or more off on being obvious to ;	e application but underlying the ned invention ord invention we step when the her such docu- a person skilled
Date of the Actual Completion of	f the International Search		D:	ate of Mailing of this	International Search	Penort
29 M	29 MARCH 1990 17 AVR. 199					
International Searching Authority EUROPE	Y EAN PATENT OFFICE		Sis	PINEAU A.		sau

Porm PC 1/ISA/210 (second sheet) (January 1985)



IT 9000002

SA 33624

29/03/90

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

29/0

Patent document cited in search report	Publication date	Pater mer	Patent family member(s)	
US-A-4652141	24-03-87	EP-A-	0182249	28-05-86
DE-A-3036056	02-04-81	JP-A-	56048562	01-05-81
US-A-4766611	30-08-88	None		*
•				
	•			
re details ahout this annex : see				